

## Flow Rate vs Temp. Rise

	Power Output of Model <sup>1</sup>	Flow Rate Gallons/Min. Gallons/Hr.	Temperature Rise												
			20°F	30°F	40°F	50°F	60°F	70°F	80°F	90°F	100°F	110°F	120°F	130°F	140°F
Ships via UPS	12 kW	GPM	4.1	2.7	2.1	1.6	1.4	1.2	1.0	0.9	0.8	0.7	0.7	0.6	0.6
		GPH	246	164	123	98	82	70	61	55	49	45	41	38	35
	15 kW	GPM	5.1	3.4	2.6	2.1	1.7	1.5	1.3	1.1	1.0	0.9	0.9	0.8	0.7
		GPH	307	205	154	123	102	88	77	68	61	56	51	47	44
	18 kW	GPM	6.1	4.1	3.1	2.5	2.1	1.8	1.5	1.4	1.2	1.1	1.0	1.0	0.9
		GPH	369	246	184	147	123	105	92	82	74	67	61	57	53
24 kW	GPM	8.2	5.5	4.1	3.3	2.7	2.3	2.1	1.8	1.6	1.5	1.4	1.3	1.2	
	GPH	492	328	246	197	164	140	123	109	98	89	82	76	70	
27 kW	GPM	9.2	6.1	4.6	3.7	3.1	2.6	2.3	2.1	1.8	1.7	1.5	1.4	1.3	
	GPH	553	369	277	221	184	158	138	123	111	101	92	85	79	
36 kW	GPM	12.3	8.2	6.1	4.9	4.1	3.5	3.1	2.7	2.5	2.2	2.1	1.9	1.8	
	GPH	737	492	369	295	246	211	184	164	147	134	123	113	105	
Ships via Common Carrier	48 kW	GPM	16.4	10.9	8.2	6.6	5.5	4.7	4.1	3.6	3.3	3.0	2.7	2.5	2.3
		GPH	983	655	492	393	328	281	246	218	197	179	164	151	140
	54 kW	GPM	18.4	12.3	9.2	7.4	6.2	5.3	4.6	4.1	3.7	3.4	3.1	2.8	2.6
		GPH	1106	737	553	442	369	316	277	246	221	201	184	170	158
60 kW	GPM	20.5	13.7	10.2	8.2	6.8	5.9	5.1	4.6	4.1	3.7	3.4	3.2	2.9	
	GPH	1229	819	614	492	410	351	307	273	246	223	205	189	176	
72 kW	GPM	24.6	16.4	12.3	9.8	8.2	7.0	6.1	5.5	4.9	4.5	4.1	3.8	3.5	
	GPH	1475	983	737	590	492	421	369	328	295	268	246	227	211	
Ships via Common Carrier with crate	81 kW	GPM	27.7	18.4	13.8	11.0	9.2	7.9	6.9	6.1	5.5	5.0	4.6	4.3	4.0
		GPH	1659	1106	829	664	553	474	415	369	332	302	277	255	237
	90 kW	GPM	30.7	20.5	15.4	12.3	10.2	8.8	7.7	6.8	6.1	5.6	5.1	4.7	4.4
		GPH	1843	1229	922	737	614	527	461	410	369	335	307	284	263
	108 kW	GPM	36.9 <sup>2</sup>	24.6	18.4	14.7	12.3	10.5	9.2	8.2	7.4	6.7	6.1	5.7	5.3
GPH		2212 <sup>2</sup>	1475	1106	885	737	632	553	492	442	402	369	340	316	
120 kW	GPM	40.0 <sup>2</sup>	27.3	20.5	16.4	13.7	11.7	10.2	9.1	8.2	7.5	6.8	6.3	5.9	
	GPH	2400 <sup>2</sup>	1638	1229	983	819	702	614	546	492	447	410	378	351	
144 kW	GPM	40.0 <sup>2</sup>	32.8	24.6	19.7	16.4	14.0	12.3	10.9	9.8	8.9	8.2	7.6	7.0	
	GPH	2400 <sup>2</sup>	1966	1475	1180	983	843	737	655	590	536	492	454	421	

<sup>1</sup> Actual power output varies by model depending on voltage which will affect achievable temp. rise.

<sup>2</sup> Assumes 1<sup>1</sup>/<sub>4</sub>" pipe size

**All NEMA 4 and 4X enclosures will be shipped Common Carrier, regardless of size of unit.**

Model	Item Number	Voltage 3-phase	kW actual output	Full Load Amp Draw	3P Breaker Size (A)	No. of Elements	Pipe Size (inches)	Standard NEMA 3 Enclosure Size Including fittings (W x H x D in inches)
<b>CF Plus 12KW</b>	CFPLUS-012-208	208	11.27	31.27	35	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CFPLUS-012-240	240	12.50	30.07	35			
	CFPLUS-012-480Y	480 Wye	13.50	16.24	20			
<b>CF Plus 15KW</b>	CFPLUS-015-208	208	15.77	43.78	50	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CFPLUS-015-240	240	15.00	36.08	40			
	CFPLUS-015-480Y	480 Wye	16.65	20.03	25			
<b>CF Plus 18KW</b>	CFPLUS-018-208	208	18.00	49.96	60	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CFPLUS-018-240	240	18.00	43.30	50			
	CFPLUS-018-480Y	480 Wye	18.00	21.65	25			
	CFPLUS-018-480D*	480	18.00	21.65	25	6*		
<b>CF Plus 24KW</b>	CFPLUS-024-208	208	22.53	62.55	70	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CFPLUS-024-240	240	25.00	60.14	70			
	CFPLUS-024-480	480	25.00	30.07	35			
	CFPLUS-024-575	575	24.00	24.10	30			
<b>CF Plus 27KW</b>	CFPLUS-027-208	208	27.04	75.06	80	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CFPLUS-027-240	240	27.02	65.01	80			
	CFPLUS-027-480	480	27.02	32.51	40			
<b>CF Plus 36KW</b>	CFPLUS-036-208	208	36.00	99.93	110	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CFPLUS-036-240	240	36.00	86.60	100			
	CFPLUS-036-480	480	36.00	43.30	50			
	CFPLUS-036-575	575	36.00	36.15	40			
<b>CF Plus 48KW</b>	CFPLUS-048-208	208	45.07	125.09	150	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CFPLUS-048-240	240	50.00	120.28	150			
	CFPLUS-048-480	480	50.00	60.14	70			
	CFPLUS-048-575	575	47.99	48.19	60			
<b>CF Plus 54KW</b>	CFPLUS-054-208	208	54.08	150.11	175	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CFPLUS-054-240	240	54.05	130.02	150			
	CFPLUS-054-480	480	54.05	65.01	80			
<b>CF Plus 60KW</b>	CFPLUS-060-208	208	63.09	175.13	200	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CFPLUS-060-240	240	60.00	144.34	175			
	CFPLUS-060-480	480	60.00	72.17	80			
<b>CF Plus 72KW</b>	CFPLUS-072-208	208	72.00	199.85	225	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CFPLUS-072-240	240	72.00	173.21	200			
	CFPLUS-072-480	480	72.00	86.60	100			
	CFPLUS-072-575	575	72.00	72.29	80			
<b>CF Plus 81KW</b>	CFPLUS-081-480	480	81.07	97.52	110	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
<b>CF Plus 90KW</b>	CFPLUS-090-480	480	90.00	108.25	125	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
<b>CF Plus 108KW</b>	CFPLUS-108-480	480	108.00	129.90	150	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
	CFPLUS-108-575	575	108.00	108.44	125			
<b>CF Plus 120KW</b>	CFPLUS-120-480	480	120.00	144.34	175	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14
<b>CF Plus 144KW</b>	CFPLUS-144-480	480	144.00	173.21	200	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14
	CFPLUS-144-575	575	144.00	144.59	175			

\*CFPLUS-018 480 V Delta (6-element heater) available at extra cost

rev. 8.2021. Due to our continuous process of engineering and technological advancement, specifications may change without notice.

Model	Item Number	Voltage 3-phase	kW actual output	Full Load Amp Draw	3P Breaker Size (A)	No. of Elements	Pipe Size (inches)	Standard NEMA 3 Enclosure Size Including fittings (W x H x D in inches)
<b>CE Plus 12KW</b>	CEPLUS-012-208	208	11.27	31.27	35	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEPLUS-012-240	240	12.50	30.07	35			
	CEPLUS-012-480Y	480 Wye	13.50	16.24	20			
<b>CE Plus 15KW</b>	CEPLUS-015-208	208	15.77	43.78	50	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEPLUS-015-240	240	15.00	36.08	40			
	CEPLUS-015-480Y	480 Wye	16.65	20.03	25			
<b>CE Plus 18KW</b>	CEPLUS-018-208	208	18.00	49.96	60	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEPLUS-018-240	240	18.00	43.30	50			
	CEPLUS-018-480Y	480 Wye	18.00	21.65	25			
	CEPLUS-018-480D*	480	18.00	21.65	25			
<b>CE Plus 24KW</b>	CEPLUS-024-208	208	22.53	62.55	70	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEPLUS-024-240	240	25.00	60.14	70			
	CEPLUS-024-480	480	25.00	30.07	35			
	CEPLUS-024-575	575	24.00	24.10	30			
<b>CE Plus 27KW</b>	CEPLUS-027-208	208	27.04	75.06	80	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEPLUS-027-240	240	27.02	65.01	80			
	CEPLUS-027-480	480	27.02	32.51	40			
<b>CE Plus 36KW</b>	CEPLUS-036-208	208	36.00	99.93	110	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEPLUS-036-240	240	36.00	86.60	100			
	CEPLUS-036-480	480	36.00	43.30	50			
	CEPLUS-036-575	575	36.00	36.15	40			
<b>CE Plus 48KW</b>	CEPLUS-048-208	208	45.07	125.09	150	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEPLUS-048-240	240	50.00	120.28	150			
	CEPLUS-048-480	480	50.00	60.14	70			
	CEPLUS-048-575	575	47.99	48.19	60			
<b>CE Plus 54KW</b>	CEPLUS-054-208	208	54.08	150.11	175	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEPLUS-054-240	240	54.05	130.02	150			
	CEPLUS-054-480	480	54.05	65.01	80			
<b>CE Plus 60KW</b>	CEPLUS-060-208	208	63.09	175.13	200	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEPLUS-060-240	240	60.00	144.34	175			
	CEPLUS-060-480	480	60.00	72.17	80			
<b>CE Plus 72KW</b>	CEPLUS-072-208	208	72.00	199.85	225	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEPLUS-072-240	240	72.00	173.21	200			
	CEPLUS-072-480	480	72.00	86.60	100			
	CEPLUS-072-575	575	72.00	72.29	80			
<b>CE Plus 81KW</b>	CEPLUS-081-480	480	81.07	97.52	110	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
<b>CE Plus 90KW</b>	CEPLUS-090-480	480	90.00	108.25	125	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
<b>CE Plus 108KW</b>	CEPLUS-108-480	480	108.00	129.90	150	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
	CEPLUS-108-575	575	108.00	108.44	125			
<b>CE Plus 120KW</b>	CEPLUS-120-480	480	120.00	144.34	175	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14
<b>CE Plus 144KW</b>	CEPLUS-144-480	480	144.00	173.21	200	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14
	CEPLUS-144-575	575	144.00	144.59	175			

\*CEPLUS-018 480 V Delta (6-element heater) available at extra cost

rev. 8.2021 Due to our continuous process of engineering and technological advancement, specifications may change without notice.

Model	Item Number	Voltage 3-phase	kW actual output	Full Load Amp Draw	3P Breaker Size (A)	No. of Elements	Pipe Size (inches)	Standard NEMA 3 Enclosure Size Including fittings (W x H x D in inches)	
<b>CES Plus 12KW</b>	CESPLUS-012-208	208	11.27	31.27	35	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>	
	CESPLUS-012-240	240	12.50	30.07	35				
	CESPLUS-012-480Y	480 Wye	13.50	16.24	20				
<b>CES Plus 15KW</b>	CESPLUS-015-208	208	15.77	43.78	50	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>	
	CESPLUS-015-240	240	15.00	36.08	40				
	CESPLUS-015-480Y	480 Wye	16.65	20.03	25				
<b>CES Plus 18KW</b>	CESPLUS-018-208	208	18.00	49.96	60	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>	
	CESPLUS-018-240	240	18.00	43.30	50				
	CESPLUS-018-480Y	480 Wye	18.00	21.65	25				
	CESPLUS-018-480D*	480	18.00	21.65	25	6*			*CESPLUS-018 480 V Delta (6-element heater) available at extra cost
<b>CES Plus 24KW</b>	CESPLUS-024-208	208	22.53	62.55	70	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>	
	CESPLUS-024-240	240	25.00	60.14	70				
	CESPLUS-024-480	480	25.00	30.07	35				
<b>CES Plus 27KW</b>	CESPLUS-027-208	208	27.04	75.06	80	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>	
	CESPLUS-027-240	240	27.02	65.01	80				
	CESPLUS-027-480	480	27.02	32.51	40				
<b>CES Plus 36KW</b>	CESPLUS-036-208	208	36.00	99.93	110	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>	
	CESPLUS-036-240	240	36.00	86.60	100				
	CESPLUS-036-480	480	36.00	43.30	50				
	CESPLUS-036-575	575	36.00	36.15	40				
<b>CES Plus 48KW</b>	CESPLUS-048-208	208	45.07	125.09	150	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>	
	CESPLUS-048-240	240	50.00	120.28	150				
	CESPLUS-048-480	480	50.00	60.14	70				
	CESPLUS-048-575	575	47.99	48.19	60				
<b>CES Plus 54KW</b>	CESPLUS-054-208	208	54.08	150.11	175	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>	
	CESPLUS-054-240	240	54.05	130.02	150				
	CESPLUS-054-480	480	54.05	65.01	80				
<b>CES Plus 60KW</b>	CESPLUS-060-208	208	63.09	175.13	200	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>	
	CESPLUS-060-240	240	60.00	144.34	175				
	CESPLUS-060-480	480	60.00	72.17	80				
<b>CES Plus 72KW</b>	CESPLUS-072-208	208	72.00	199.85	225	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>	
	CESPLUS-072-240	240	72.00	173.21	200				
	CESPLUS-072-575	575	72.00	72.29	80				
<b>CES Plus 81KW</b>	CESPLUS-081-480	480	81.07	97.52	110	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14	
<b>CES Plus 90KW</b>	CESPLUS-090-480	480	90.00	108.25	125	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14	
<b>CES Plus 108KW</b>	CESPLUS-108-480	480	108.00	129.90	150	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14	
	CESPLUS-108-575	575	108.00	108.44	125				
<b>CES Plus 120KW</b>	CESPLUS-120-480	480	120.00	144.34	175	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14	
<b>CES Plus 144KW</b>	CESPLUS-144-480	480	144.00	173.21	200	24	1 <sup>1</sup> / <sub>4</sub>	39 <sup>5</sup> / <sub>16</sub> X 50 <sup>13</sup> / <sub>32</sub> X 14	
	CESPLUS-144-575	575	144.00	144.59	175				

rev. 8.2021. Due to our continuous process of engineering and technological advancement, specifications may change without notice.

Model	Item Number	Voltage 3-phase	kW actual output	Full Load Amp Draw	3P Breaker Size (A)	No. of Elements	Pipe Size (inches)	Standard NEMA 3 Enclosure Size Including fittings (W x H x D in inches)
<b>CERO Plus 12KW</b>	CEROPLUS-012-208	208	10.15	28.17	35	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEROPLUS-012-240	240	12.50	30.07	35			
	CEROPLUS-012-480Y	480 Wye	11.10	13.35	15			
<b>CERO Plus 15KW</b>	CEROPLUS-015-208	208	13.52	37.53	45	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEROPLUS-015-240	240	13.51	32.51	40			
	CEROPLUS-015-480Y	480 Wye	16.65	20.03	25			
<b>CERO Plus 18KW</b>	CEROPLUS-018-208	208	18.00	49.96	60	3	3/4	23 <sup>1</sup> / <sub>32</sub> X 28 <sup>1</sup> / <sub>4</sub> X 11 <sup>11</sup> / <sub>32</sub>
	CEROPLUS-018-240	240	18.00	43.30	50			
	CEROPLUS-018-480Y	480 Wye	18.00	21.65	25			
	CEROPLUS-018-480D*	480	16.66	20.04	25			
<b>CERO Plus 24KW</b>	CEROPLUS-024-208	208	20.30	56.34	70	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEROPLUS-024-240	240	25.00	60.14	70			
	CEROPLUS-024-480	480	25.00	30.07	35			
	CEROPLUS-024-575	575	24.00	24.09	30			
<b>CERO Plus 27KW</b>	CEROPLUS-027-208	208	27.04	75.06	80	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEROPLUS-027-240	240	27.02	65.01	80			
	CEROPLUS-027-480	480	27.02	32.50	40			
<b>CERO Plus 36KW</b>	CEROPLUS-036-240	240	36.00	86.60	100	6	3/4	22 <sup>5</sup> / <sub>8</sub> X 30 <sup>11</sup> / <sub>16</sub> X 9 <sup>15</sup> / <sub>16</sub>
	CEROPLUS-036-480	480	36.00	43.30	50			
	CEROPLUS-036-575	575	36.00	36.15	40			
<b>CERO Plus 48KW</b>	CEROPLUS-048-240	240	50.00	120.28	150	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEROPLUS-048-480	480	50.00	60.14	70			
	CEROPLUS-048-575	575	47.99	48.19	60			
<b>CERO Plus 54KW</b>	CEROPLUS-054-208	208	54.08	150.11	175	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEROPLUS-054-240	240	54.05	130.02	150			
	CEROPLUS-054-480	480	54.05	65.01	70			
<b>CERO Plus 72KW</b>	CEROPLUS-072-240	240	72.00	173.21	200	12	1	22 <sup>27</sup> / <sub>32</sub> X 38 <sup>25</sup> / <sub>32</sub> X 9 <sup>7</sup> / <sub>8</sub>
	CEROPLUS-072-480	480	72.00	86.60	100			
	CEROPLUS-072-575	575	71.99	72.28	80			
<b>CERO Plus 81KW</b>	CEROPLUS-081-480	480	81.07	97.52	110	18	1	37 <sup>5</sup> / <sub>16</sub> X 38 <sup>13</sup> / <sub>32</sub> X 14
<b>CERO Plus 108KW</b>	CEROPLUS-108-480	480	108.00	129.90	150			
	CEROPLUS-108-575	575	108.00	108.44	125			
<b>CERO Plus 144KW</b>	CEROPLUS-144-480	480	144.00	173.21	200			
	CEROPLUS-144-575	575	144.00	144.59	175			

\*CEROPLUS-018 480 V Delta (6-element heater) available at extra cost